
3.5mm STEREO PHONE JACK

JACK35



Overview:

JACK35 is a 3.5mm Stereo Phone jack. This jack can be used with either 4-Pole or 6-Pole filtered terminal blocks to be used as a RF filtered stereo audio feedthrough. The jacks are mounted to both the internal and external terminal block covers and wired to the terminal blocks filters.

Applications:

- Stereo audio feedthrough.
- 3 conductor small signal passthrough.

Features:

- Easy Connection.
- Nickle Plated Brass Construction.
- Panel Mount.



Specifications:


Electrical:


Dielectric Withstanding Voltage: 500VRMS.

Mechanical:

Jack Size:	3.5mm.
Mounting:	Panel Mount.
Conductors:	3.
Contact Material:	Silver Plated Brass.
Body:	PBT (UL94V-0).
Max Panel Thickness:	0.10 Inches (2.5mm).
Mounting Threads:	M8 x P.75.

Schematic





UNLESS OTHERWISE SPECIFIED:		NAME	DATE
DIMENSIONS ARE IN INCHES		J TANDLER	3/22/2024
TOLERANCES:		CHECKED	
FRACTIONS: 1/64		ENG APPR	3/25/24
DECIMALS: .01		PMT	
TWO PLACE DECIMAL: .01		ENG APPR	
THREE PLACE DECIMAL: .005		G.A.	
ISO FIRST ANGLE PROJECTION		COMMENTS	
		MATERIAL	
		FINISH	
DO NOT SCALE DRAWING		MODEL NAME:	
		-	

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF RAMSEY ELECTRONICS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF RAMSEY ELECTRONICS IS PROHIBITED.

 Ramsey Electronics® 590 Fishers Station Drive Victor, NY 14564 PH: (585) 924-4590		TITLE:	JACK35 CUSTOMER DRWG
SIZE	DWG. NO.	REV	REV
B	JACK35 CUST DRWG		
SCALE:		SHEET 1 OF 1	

The information in this datasheet, although believed to be accurate, is not to be taken as warranty for which Ramsey Electronics assumes legal responsibility. Ramsey Electronics reserves the right to make changes, corrections, and improvements to its products and/or this document at anytime without notice.